
SECUNORM PROFI25







Original size



Robust handle The plastic insert of the SECUNORM PROFI25 slots into a fully aluminium body. With its robust design, this cutter can cope with high cutting frequencies over an extended period of time.



Double-sided blade Before you need to change the quality blade, you have the chance to turn it over once. Usage time of the blade is doubled and fatigue is held at bay: with a simple flip of the blade, your SECUPRO PROFI25 will cut like new again.




Tool-less blade change Blade change is easy to understand. Easier still to perform. Simply push the plastic insert out of the handle and with care, either rotate or replace the blade.



For right and left handers The SECUNORM PROFI25 is the right size for every hand. Yours too. If you are a left hander, simply turn the blade 180° and your cutting tool is ready to use.

Professional in every respect.

Our SECUNORM PROFI25 is aptly named. "Profi" because this cutter really does behave professionally. Whatever the situation, whatever the cutting material. The "25" is in reference to its impressive blade extension of 25 mm, with which even 3-ply cardboard can be conquered. And just like all other members of the PROFI family, SECUNORM PROFI25 features automatic blade retraction.



Technical features High safety Tool-less blade Ľ, change Very abrasion Ergonomic resistant 2-times usable Extended blade blade length 25 Cutting depth For right and left راليرال hander Printable for LOGO promotional - I -17 purposes Main cutting materials Cardboard: up to Wrapping, stretch, and shrink foil 3-ply Plastic strapping Таре band Bagged goods Layers of foil or paper Yarn, cord Installed blade NO. 99 0.63 mm 00 00 **Optional blade** NO. 199 0.63 mm, stainless steel NO. 60099 0.63 mm NO. 98 0.63 mm Certificates and awards

PRODUCT FEATURES



THE PERFECT FIT FOR ALL. DOES THE PERFECT JOB.

SECUNORM PROFI25

- > For high cutting frequencies
- > Large cutting depth
- > Very abrasion proof thanks to the aluminium
- > Automatic blade retraction
- > TÜV-certified

PRODUCT DETAILS

Order No.	NO. 120001.02		
Packaging unit	1 in single unit box (10 in multipack)		
Knife size (L x W x H)	143 x 17 x 31 mm		
Main material	Aluminium		
Weight	82 g		
Cutting depth	21 mm		
Spare blade Packaging unit Size (L x W x Thickness)	NO. 99.70 (10 in dispenser) 60 x 19 x 0.63 mm		
Certified		GS certificate NO. S 60112078	
Accessories			
BELT HOLSTER	Ð	NO. 9829	
HOLSTER		NO. 9842	
USED BLADE CONTAINER	Ō	NO. 9810	
WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9845	
SAFEBOX	0	NO. 108000	
SAFETY DEVICE		NO. 9800	

CONTACT AND SERVICE

What makes our cutting solutions even safer? Our advisory services! We are always on hand, to give advice, to provide you with training material, to meet with you in person if necessary.

You can find the following information on our website: www.martor.com



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the Technical Data

۶P

Sheet

Still have guestions? You can reach our service department on +49 212 25805-0

7.15. | Subject to technical changes