

FCS Series

3/8" BSP Male threaded fittings Suitable for hot and cold potable water Reed Switch Reliability File E125629 Meets UL 94-HB flammability rating Food grade material




The FCS-01

From our range of flow switches sensors which offer design engineers reed switch reliability. The design allows for sensing in line flow of liquid or air.




dimensions






- Rugged high grade Noryl
- Minimum pressure drop
- · Operates from a small head of water
- · Mount in any axis
- · Suitable for water and air flow switching



APPLICATIONS

- · Leak detection
- Flow sensing
- · Mains water control
- Cooling systems
- · Circulation pump protection



Tel: +44 1465 716999

Flow Switch



performance specifications

Material, Design and Operation

Mounting Any Axis Housing Material Noryl Housing Colour Black Fitting In Line Contact Form Ruthenium **Contact Material** Maximum Switching Volts (VAC) 250 Maximum Switching Volts (VDC) 200 Maximum Switching Current (Amp) 1 Maximum Power (Watt) 40

Connection Type Stripped Cables

Cable Type 22AWG, 16/0.2mm PVC insulated
Cable Length 2 x 0.5M single insulated

Cable Colour

Cable Colour

Operate Flow Rate (L/min)

Operate Temperature Range

Medium/Liquid

Sealing Component

Mounting Shock

Operate Mode

IP Rating

Black/Black

0.6 +/- 0.5

Water

Water

Not provided

Sog for 11mS duration

N/O, close with Flow

IP Rating IP65

The information in this sheet has been carefully reviewed and is believed to be accurate; however, no responsibility is assumed for inaccuracies. Furthermore, this information does not convey to the purchaser of such devices any license under the patent rights to the manufacturer. Measurement Specialties, Inc. reserves the right to make changes without further notice to any product herein. Measurement Specialties, Inc. makes no warranty, representation or guarantee regarding the suitability of its product for any particular purpose, nor does Measurement Specialties, Inc. assume any liability arising out of the application or use of any product or circuit and specifically disclaims any and all liability, including without limitation consequential or incidental damages. Typical parameters can and do vary in different applications. All operating parameters must be validated for each customer application by customer's technical experts. Measurement Specialties, Inc. does not convey any license under its patent rights nor the rights of others.

ordering info

The FCS-01 is from our FCS Series of Flow Switches.

The Series is available in alternatives with a number of standard options including:

- Housing materials
- Installation axis
- Connection threads
- · Operate flow rates
- · Cable types
- · Cable lengths

Please see the FCS Series part number tree.

Tel: +44 1465 716999